

mmc



BUILDING, PROTECTING & PRESERVING YOUR STONE





made in INDIA





marblemagik.com

GROUTS

Strong, stain-resistant grouts for durable and seamless tile joints.

JOINT FILING 2MM TO 12MM



G111 MAGIK STAIN FREE EPOXY

Premium 3 component stain-free epoxy for joint filling

Stain Resistant · Anti Bacterial · High Strength

Mixing Ratio	Part A : Part B : Part C
	100 : 40 : 410
SKUs	1 kg, 5 kg



G127 MAGIK 2K EPOXY

Premium 2-component epoxy for joint filling

Stain Resistant · Anti Bacterial · High Strength

Mixing Ratio	Part A : Part B
	100 : 9
SKUs	1 kg, 5 kg



G801 MAGIK EPOXY GEL SUPER

Premium 3 component stain-free epoxy for joint filling

Excellent Adhesion · High Strength · Heat Resistant

Mixing Ratio	Part A : Part B
	100 : 50
SKUs	2.250 kg

G801 MAGIK EPOXY GEL ADVANCE

High-strength solvent-free epoxy adhesive offering superior bonding & long-lasting stone repairs

Excellent Adhesion · High Strength · Heat Resistant

Mixing Ratio	Part A : Part B
	100 : 50
SKUs	2.250 kg

PINHOLE / CRACK FILLING

G114 MAGIK MP EPOXY

Low viscosity UPR-based epoxy

High Strengh · Chemical Resistant · Durable

Mixing Ratio	Part A : Part B
	100 : 1.50 (upto 4 gms)
Coverage	1 kg 8-12 sq.mt.
SKUs	5 kg





G120 MAGIK EPOXY 100:50

Two-component, mediumviscosity epoxy

Easily Pigmented · High Strength · Durable

Mixing Ratio	Part A : Part B
	100 : 50
Coverage	1 kg 20-30 sq.mt.
SKUs	3 kg

G125 MAGIK CLEAR EPOXY FS

Fast setting, low-viscosity transparent epoxy

Crystal Clear · High Strength · UV Resistant

Mixing Ratio	Part A : Part B
	100 : 50
Coverage	1 kg 20-30 sq.mt.
SKUs	1.200 kg, 7.500 kg





G113 MAGIK CLEAR EPOXY SS

Slow setting, low-viscosity transparent epoxy

Stain Resistant · Anti Bacterial · Chemical Resistant

Mixing Ratio	Part A : Part B
	100 : 25
Coverage	1 kg 20-30 sq.mt.
SKUs	1 kg, 5 kg

JOINT FILLING LESS THAN 2MM



G217 MAGIK MASTIC

Polyster-based adhesive for joint filling, grouting, and stone consolidation

Easily Pigmented · High Strength · Durable

SKUs : 1.020 kg, 1.345 kg

Solido Range

Mixing Ratio	Part A : Part B
	100 : 3

Available Varients: Solido Ivory, Solido Black, Solido Ultra White, Solido Dusty Light

Liquid Range

Mixing Ratio	Part A : Part B
	100 : 3

Available Varients: Liquid Ivory, Liquid Black, Liquid Ultra White, Liquid Dusty Light

Superior Range (slow setting)

Mixing Ratio	Part A : Part B
	100 : 1.5

Available Varients: Thasos Crsytalline, Thixotropic, Thixotropic Plus, Liquid Transparent

Superior Range (fast setting)

Mixing Ratio	Part A : Part B
	100 : 1.5

Available Varients: Paste Transparent, Paste Honey

SEALER

Lasting surface protection against water, dirt, and daily wear.

5 & 6 SIDE SEALER



S222 MAGIK BACK COAT

Water-based film-forming backside protective coating that prevents mortar stains and water marks

Stain Resistant · Penetrating Sealer · Good Bonding

Mixing Ratio	Ready to use
Coverage	1 L 10/15 sq.mt.
SKUs	1 L, 5 L



S231 MAGIK BRICK & CONCRETE SEALER

Water-based acrylic polymer sealer that protects the surface from moisture & enhances surface durability

Mixing Ratio	Ready to use
Coverage	1 L 30/40 sq.ft. (2 coat)
SKUs	1 L, 20 L

PENETRATING SEALER

Water-based ecological deep penetrating sealer that protects the surface against water & stains, while preserving the natural appearance



S223 MARBLE MAGIK

Water Based · Ecological Sealer · Breathable Barrier

Mixing Ratio	Ready to use
Coverage	1 L 2/3 sq.mt.
Coats	15 to 20 times
SKUs	10 L, 20 L



S225 MARBLE MAGIK DENSIFIER

Increases Hardness · Abrasion Resistant · Dustproof Finish

Mixing Ratio	Ready to use
Coverage	1 L 3/4 sq.mt.
Coats	8 to 10 times
SKUs	10 L, 20 L



S224 MARBLE MAGIK PRO

Water Repellent · Stain Resistant · Deep Penetration

Mixing Ratio	Ready to use
Coverage	1 L 4 sq.mt.
Coats	5 to 6 times
SKUs	10 L, 20 L

TOP COAT



S226 MAGIK SEALER

Water-based penetrating sealer that protects porous stone from moisture, dirt & stains

UV Resistant · Transparent Barrier · Long Lasting

Mixing Ratio	Ready to use
Coverage	1 L 4-7 sq.mt.
SKUs	1 L, 5 L, 10 L, 20 L



S250 MAGIK NANOULTRA

Solvent-based penetrating sealer that repels water, oil & stains of porous surface

Water Repellent · Non Film Forming · Deep Penetrating

Mixing Ratio	Ready to use
Coverage	1 L 10-15 sq.mt. depending on porosity of surface
SKUs	1 L



S255 MAGIK IMPRESHIELD

Water-based penetrating sealer that protects thesurface from water, oil, grease, and stains.

Stain Repellent · Non Film Forming · Preserves Natural Look

Mixing Ratio	Ready to use
Coverage	1 L 10-15 sq.mt. depending on porosity of surface
SKUs	1 L



S260 MAGIK AMPHISEAL HD

Advanced 9H technology, an amphiphobic sealer that provides invisible protection from water, oil, salt water & stains

Advance 9H Technology · Super Amphiphobic · Invisible Protection

Mixing Ratio	Ready to use
SKUs	1 L

CLEANER

Keeping tiled spaces fresh, clean, and well-maintained.

SPECIAL CLEANER



C560 MAGIK WHITNER

Water-based, low-acidic cleaner that removes yellowing and restores the nature whitness of surface

Removes Yellowing | Whitening Action | Removes Tough Stains

Mixing Ratio	Ready to use
SKUs	400 ml, 1 L



C557 MAGIK EGFR

Water-based, pH-neutral cleaner that removes epoxy grout film, grease, and tough surface stains

Removes Residues | Removes Stickiness | Non Acidic

Mixing Ratio	Ready to use
SKUs	400 ml, 1 L



C574 MAGIK BSR CLEAENER

Non-acidic cleaner that removes algae, moss, fungi and mold from the surface

Removes Algae | Removes Fungi | Requires No Scrubbing

Mixing Ratio	Ready to use
SKUs	1 L, 5 L

REGULAR CLEANERS



C565 MAGIK GRANITE & TILE CLEANER

An acid-based cleaner that removes cement residue and hard stains from the surface

Deep Cleaning | Rapid Action | Low Fumes

Mixing Ratio	Hard Stains - Ready to use
Everyday Cleaning	1 Part of C565 : 5 Parts of Water
SKUs	1 L, 5 L



C573 MAGIK UNICLEAN

Water-based pH natural cleaner for all surfaces to remove all types of stains

Advance Technology | pH Neutral | Daily Cleaning

Mixing Ratio	Ready to use
SKUs	1 L



C558 MAGIK SCALE REMOVER

An acidic cleaner that removes limescale, hard water stains, yellow stains and gum residue.

Non-Toxic Fumes | Removes Scales | Odour Free

Mixing Ratio	Ready to use
SKUs	1 L

ENHANCER

Enriches the beauty of tiles while improving surface protection.

SHINER & WETLOOK



E360 MAGIK AURAGLAZE

Solvent-based liquid wax for enhancing stone gloss, restores natural colour, and provides light stain protection without forming a surface film

Fast Acting | Color Enhancing | Intense Shine

Mixing Ratio	Ready to use
Coverage	1 L 20-30 sq.mt



E370 MAGIK EVERTONE

Solvent-based colour-enhancing sealer to give a wet look effect while protecting the stone surface from water, stains & weathering

Deepens Colour | UV Resistant | Advanced Stain Protection

Mixing Ratio	Ready to use
Coverage	1 L 20-30 sq.mt



E380 MAGIK DARKSEAL GLOSS/MATTE

An appearance-enhancing protective coating that gives long-lasting matte as well as gloss finish

Weather Resistant | Matte Finish | Exceptional Durability

Mixing Ratio	Ready to use
Coverage	1 L 7-8 sq.mt.

POLISHING COMPOUND

Enriches the beauty of tiles while improving surface protection.



P444 MAGIK POLISH POWDER

High-performance polishing compound that restores gloss, removes surface imperfections & delivers mirror like finish

Restores Gloss | Removes Dullness | Removes Light Scratches

Mixing Ratio	Ready to use
Coverage	1 kg 70-90 sq.mt.
SKUs	1 kg



P451 MAGIK LIQUID POLISH

Water-based polishing cream that restores gloss, removes surface imperfections, and delivers a mirror-like finish

Mirror Finish | Removes Scratches | Restores Shine

Mixing Ratio	Ready to use
Coverage	1 kg 10-15 sq.mt.
SKUs	1 kg



P445 MAGIK CRSYTALLIZER

Liquid crystallizer that restores gloss, enhances surface hardness, & delivers a long-lasting, high-shine finish on calcareous stone

Uniform Gloss | Crystalline Finish | Mirror Shine

Mixing Ratio	Ready to use
Coverage	1 L 9-12 sq.mt.
SKUs	1 kg

ADHESIVE

Strong, slip-resistant adhesives for reliable tile fixing.

ADHESIVE - TYPE 1



1005 MAGIK BOND

Formulated with cement & silica powder is a thin-set adhesive

Application Area	Interiror floor
Slab Size	2x2 max height 6 ft
Bed Thickness	3mm to 12mm
Coverage	3mm bed 30-35 sq. ft.
SKUs	20 kg

ADHESIVE - TYPE 2



1010 MAGIK BOND PLUS

Smooth & creamy thin-set polymer based adhesive

Application Area	Interiror floor
Slab Size	2x2 max height 6 ft
Bed Thickness	3mm to 12mm
Coverage	3mm bed 30-35 sq. ft.
SKUs	20 kg

ADHESIVE - TYPE 3



5051 MAGIK HIGH BOND WHITE

5151 MAGIK HIGH BOND GREY

Multifunctional, partially lightweight, highly polymer-modified, flexible adhesive

Application Area	Interiror & External floor & wall
Slab Size	4x2 max height 10 ft
Bed Thickness	3mm to 12mm
Coverage	3mm bed 30-35 sq. ft.
SKUs (White)	20 kg, 40kg
SKUs (Grey)	20kg



5150 MAGIK FLEX

Multipurpose, two component, polyurethane thinset adhesive for fixing tiles and stone

Application Area	Interiror & Exterior floor & wall
Coverage	3mm bed 30-35 sq. ft.
SKUs	4 kg, 10 kg



2050 MAGIK BOND EXTRA

Single-component, polymer-base for adhesive for marble, mosaics, engineered stone, terrazzo, and tile installation in dry and wet areas.

Application Area	Interiror & External floor & wall
Slab Size	4x2 max height 10 ft
Bed Thickness	3mm to 12mm
Coverage	3mm bed 30-35 sq. ft.
SKUs	20 kg



2060 MAGIK BOND EXTRA WHITE

Single-component, polymer-base for adhesive for marble, mosaics, engineered stone, terrazzo, and tile installation in dry and wet areas.

Application Area	Interiror & External floor & wall
Slab Size	4x2 max height 10 ft
Bed Thickness	3mm to 12mm
Coverage	3mm bed 30-35 sq. ft.
SKUs	20 kg

OUR PROJECTS

Discover our portfolio of completed projects showcasing excellence in flooring, tiling, and stone installations across diverse sectors.



Ram Mandir, Ayodhya


Prestigious stone cleaning project for Shri Ram Janmbhoomi Teerth Kshetra Trust, removing algae, moss, and dirt from sacred stones using Magik BSR Cleaner.

Take a Look at the Full Project Video

Prodapt IT park, Bangalore

Complete stone care and polishing project for a newly constructed IT Park, transforming 40,000 sq ft of space to achieve 5-star resort aesthetics using specialized chemical formulations.

Take a Look at the Full Project Video





Swarwed Mahamandir Trust, Varasani

A high-performance stone sealing solution was implemented to safeguard the surfaces from daily wear, moisture, and contaminants. It ensures lasting protection without altering the stone's natural appearance.

Professional Stone Care Solutions Built on Quality, Innovation, Trust for Long-Lasting Surface Protection.

Marble Magik Corporation is an India-born brand providing professional stone care, adhesives, and construction chemical solutions.

With more than 15 years of experience,we have been providing innovative solutions that enhance the beauty, durability, and performance of stone and construction surfaces.

MARBLE MAGIK CORPORATION

C-5/4, Hojiwala Industrial Estate,
Road No. 8, SUSML, Sachin,
Surat – 394230, Gujarat, India

For product inquiries & expert guidance, get in touch with us.
Customer Care : 90999 88272

Explore full range of solutions at our website
marblemagik.com

designby>greyphyte.com

072026